

Rules For Gas Pickup trucks

1. The class weight is 6500 lbs, 7500lbs and 8500lbs maximum.
2. The pull promoter has the right to determine the area boundaries that a puller can be considered to be a local puller by setting a distance the puller must live within from the pull grounds or by county or region.
3. Trucks must be street legal, licensed and insured for the road. No dealer plates or trip permits are permitted. Driver must have proof of insurance upon request. All trucks must enter (Event Grounds, Admission gates) under its own power
4. Hitch point is to be the rearmost point of the truck with a maximum height of 22 inches Reese style hitch only.
5. No blocks are allowed to make the suspension rigid. Suspension must move. A minimum of 1/2 inches under the weight of a track official jumping on hook point.
6. All added weight must be secured in the box or flatbed. No weight allowed in the cab. Factory produced snowplow harness and properly mounted winches are permitted. Front bumpers must be original factory production style
7. Trucks must be naturally aspirated with a single carburetor or original fuel injection system.
8. Pump gas only. No race fuels. No pressurized fuels or oxidizers of any kind. This includes alcohol, propane, nitrous and oxygen.
9. All exhaust must exit behind the cab through a muffler.
10. Aftermarket cold air intakes, exhaust system and a single programmer permitted.
11. Tires must be in good condition and road worthy
12. All general rules apply to 4x4 gas truck classes

Rules For Diesel Pickup Trucks

1. Maximum weight is 8500lbs.
2. The pull promoter has the right to determine the area boundaries that a puller can be considered to be a local puller by setting a distance the puller must live within from the pull grounds or by county or region.
3. Trucks must be street legal, licensed and insured for the road. No dealer plates or trip permits allowed. Driver must have proof of insurance upon request. All trucks must enter (Event Grounds, Admission gates) under its own power
4. Hitch point is to be the rearmost point of the truck with a maximum height of 22 inches. Reese style hitch only.
5. No blocks are allowed to make the suspension rigid. Suspension must move. A minimum of 1/2 inches under the weight of a track official jumping on hook point.
6. All added weight must be secured in the box or flatbed. No weight allowed in the cab. Factory produced snowplow harness and properly mounted winches are permitted. Front bumpers must be original factory production style.
7. Engines must use OEM intake manifold(s), OEM injector pump and injectors. The vehicle must have the correct engine block and head for that model and model year and be in stock appearance.
8. Pump diesel fuel only. No pressurized fuels or oxidizers of any kind. This includes alcohol, water, propane, nitrous and oxygen.
9. All exhaust must exit behind the cab.
10. Aftermarket cold air intake, exhaust system and a single programmer permitted.
11. Tires must be in good condition and road worthy.
12. All general rules apply to non circuit 4x4 diesel truck classes

Rules For Farm Tractors

1. All tractors can run as they came from the field duels permitted. No extra weights are to be hung. All weights must be in factory locations and factory original for the tractor. Loaders will be permitted. All tractors will pull in 2wd unless class is all fwd then fwd will be permitted.
2. The pull promoter has the right to determine the area boundaries that a puller can be considered to be a local puller by setting a distance the puller must live within from the pull grounds or by county or region.
3. Each tractor may pull in a maximum of two classes at one event. A local tractor can pull in two local classes or one local class and one stock or vintage class. Tractors pulling in a points class must meet all safety rules for that class prior to pulling in the class.
4. Tractors must have a hood, floorboards, grills(s), and fenders and must be stock appearing for that model. Engines must be stock or manufacturers replacement for the model with no visible engine modifications.
5. All classes are two wheel drive without duals unless stated
6. Maximum RPM's is 10% over manufacturer's high idle.
7. Tractors exhaust systems with mufflers must be pointed away from the crowd.
8. Dry ice or water injection may not be used.
9. No weights behind the rear axle. See general rules.
10. All general rules apply to local tractor classes.